


Lami-Plus BOPP Gloss & Matte Thermal Lamination Film



Key Features

- Polypropylene based lamination films for commercial applications
- Low melt co-polymer ensures excellent bond strength when used with high speed lamination machines
- Ideal for one-side lamination jobs - Posters, Carton boxes, Leaflets



Physical Characteristics

Properties	Unit	Test Method	Products			
Thickness (Structure)	Mil		1.0 (.5/.5)	1.1 (.5/.6)	1.0 (.5/.5)	1.1 (.5/.6)
	Micron		24 (12/12)	27 (12/15)	24 (12/12)	27 (12/15)
GSM	gm/m ²	Surya Polyfilms	22.3	25.1	22.3	25.1
Yield	m ² /Kg	Surya Polyfilms	44.9	39.9	44.9	39.9
Lamination Temperature		Surya Polyfilms	100° ~ 110°C (212° ~ 230°F)			
Corona Treatment	Dyne	ASTM D-2578			42 ~ 46	38 ~ 42
Coating Side						
Substrate Side						
Surface Finish			Gloss	Gloss	Matte	Matte

Standard Roll Sizes

Core Size		77mm (3")
Width	mm	150 ~ 1000
	inch	6 ~ 40
Length	m	1000 / 2000 / 3000
	ft	3000 / 6000 / 10,000